

Manifold Valves for SV and VKG Flowmeters



measuring
•
monitoring
•
analyzing

BVB



- Designed to Centralize Flow Measurement and Distribution
- Ability to Join up to 6 Units Into an Integrated Valve Block
- Easy to Install
- Max. Pressure: 235 PSI
- Connection: 1/2" NPT



KOBOLD companies worldwide:

ARGENTINA, AUSTRIA, BELGIUM, BULGARIA, CANADA, CHILE, CHINA, COLOMBIA, CZECH REPUBLIC, EGYPT, FRANCE, GERMANY, GREAT BRITAIN, HUNGARY, INDIA, INDONESIA, ITALY, MALAYSIA, MEXICO, NETHERLANDS, PERU, POLAND, ROMANIA, SINGAPORE, SOUTH KOREA, SPAIN, SWITZERLAND, TAIWAN, THAILAND, TUNISIA, TURKEY, USA, VIETNAM

KOBOLD Instruments, Inc.
1801 Parkway View Drive
Pittsburgh, PA 15205
☎ Main Office:
1.800.998.1020
☎ 1.412.788.4890
info@koboldusa.com
www.koboldusa.com



Description


For centralized flow measurement and distribution we recommend KOBOLD BVB manifold valves. With the ability to join up to 6 flowmeters onto an integrated valve block, the BVB offers a compact and tidy solution to your distribution problems. The BVB is designed for use with our SV and VKG flowmeters. The total throughput of the BVB is limited to 6.5 GPM due to size restrictions. To supply a BVB manifold with media, a pump with a 20–30% overcapacity is required to ensure that each branch receives adequate flow. To protect your instrument, this overcapacity must be able to return to the media supply tank through a pressure limiting regulator. We recommend between 100 PSI and 235 PSIG.



Specifications

Connection: 1/2" NPT
Material: Anodized Aluminum
Maximum Pressure: 235 PSI

Dimensions



Order Details

Model	Order Number	
	Manifold Valve Mounted*	Manifold Valve Only
Single Fold	BVB 4101	BVB 5101
Double Fold	BVB 4102	BVB 5102
3-Fold	BVB 4103	BVB 5103
4-Fold	BVB 4104	BVB 5104
5-Fold	BVB 4105	BVB 5105
6-Fold	BVB 4106	BVB 5106

*Select Desired SV or VKG Flowmeter for Mounting. Please Note Flowmeter Price is Not Included in BVB Pricing.